## NOTES:

I. MATERIALS AND FINISHES:

BODY - BRASS, NICKEL PLATING CONTACT - BRASS, GOLD PLATING SHELL - BRASS, NICKEL PLATING FERRULE - COPPER, NICKEL PLATING

INSULATOR - PTFE

2. ELECTRICAL:

A. IMPEDANCE: 50 OHM

B. FREQUENCY RANGE: DC - 0.3 GHz


A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: -65° C TO 165° C

4. PACKAGING:

A. PACKAGE CONNECTOR AS PER ROUTING INSTRUCTIONS.


B. MARKING: PACKAGING TO BE MARKED "AMPHENOL RF, 182100, AND DATE CODE"



THIRD ANGLE PROJ. 🕀 🖯

В





DATE

11/04/03

01/15/04

06/23/10

06-Jun-18

APPR

----

- - - -

NB

ECN

----

----

8274

REVISIONS

DESCRIPTION


MODIFY CONTACT OPENING AND PART DESCRIPTION

MODIFY PART DESCRIPTION AND ADD CRIMP NOTES

MODIFY THE MATERIAL OF ITEM 3

REMOVE SUPPORT OF LMR200, REDRAWN IN PRO-E





## I. CRIMPED FERRULE

- HEX CRIMP SIZE .213" 2. CRIMPED CONTACT PIN
- HEX CRIMP SIZE .068"

## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

	MATERIAL	DRAWN	DATE	TITLE	, I D [
<0.5mm	I CEE NATEC	M.ZHANG	23 - Jun - 10	UHF CRIMP PLUG	Amphenol RH
NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are	REFERENCE	ENGINEER	DATE	(FOR RG-58, RG-141)	www.amphenolrf.com
confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is	EAR#	APPROVED	DATE		DRAWING NO. UII2IAI-NPH3G-58CU-50
not to be regarded by implication or otherwise in any manner licensing, granting	REF:	K.CAPOZZI	06 - Jun - 18	SCALE: 5.0:1.0 SHEET 2 OF 2	ITEM NO. 061121AAA57MR5F
any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	CONFIGURATION LEVEL: In Work FINISH	CAD FILE		DWG SIZE REV .	PART NO. 182100